




Zhongjda Industry



▶ Aluminum Tent Profile

Anshan Zhongjda Industry Co.,Ltd.



Anshan Zhongjda Industry Co.,Ltd.



Angela

Add: No. 57 Hongqinanjie Dadaowan Industrial District Anshan City

- Tel:0086-412-5812119
- Fax:0086-412-2287755
- MOB:0086-13604123636
- We Chat: 15941287389

Mail: angela@asjiujiu.com/angelayinyan@gmail.com

- Skype:376532443@qq.com
- QQ number: 1538167658
- WhatsApp: 0086-13604123636

Web : <http://www.asjiujiu.com>

ABOUT US

Anshan Zhongjda Industry Co.,Ltd.

Zhongjda Industry has been serving system integrators, OEMs and other manufacturers throughout the world since 1995. In addition to aluminum extrusion manufacturing, we offer design support and prototyping, aluminum fabrication, CNC machining and tooling, as well as parts assembly, packaging and supply chain solutions. With the best people, processes and machinery, we are able to meet the most demanding industry requirements, while delivering shorter lead-times and consistent quality for even the most complex extruded aluminum shapes.


Whether you need semi-finished aluminum extrusion components, outsourcing of crucial aluminum parts or to launch a total product line, Zhongjda Industry offers the expertise and capabilities to improve your process, product and bottom line. We strive for innovation by continuously embracing new technologies, and we make sure to focus on what's important: quality, safety and ongoing growth. With 20 years of highly competitive quality performance, we continue to be an innovative leader in the production of custom aluminum extrusions and precision machined parts and assemblies.







Aluminum keder rail-rain resistance, dust resistance





Aluminum tent frame-strong support, easy assemble






Small Size






ZJD-KE651

Thickness: 4.0 mm
Weight: 4.423 kg/m




ZJD-K4187

Thickness: 4.0 mm
Weight: 5.539 kg/m




ZJD-KU9027

Thickness: 2.95 mm
Weight: 4.319 kg/m




ZJD-KU12385

Thickness: 2.5 mm
Weight: 4.737 kg/m




ZJD-K4619

Thickness: 3.0 mm
Weight: 4.316 kg/m




ZJD-K3610

Thickness: 3.0 mm
Weight: 4.747 kg/m




ZJD-KU15698

Thickness: 2.5 mm
Weight: .3.472 kg/m





ZJD-K5187

Thickness: 4.0 mm
Weight: .6.214 kg/m




Medium Size






ZJD-K2942

Thickness: 4.0 mm
Weight: 8.012 kg/m




ZJD-KHZD286

Thickness: 4.0 mm
Weight: 7.955 kg/m




ZJD-K3516

Thickness: 3.3 mm
Weight: 6.474 kg/m




ZJD-K4265

Thickness: 5.0 mm
Weight: 10.04 kg/m




ZJD-K3463

Thickness: 4.3 mm
Weight: 8.322 kg/m




ZJD-KU17397

Thickness: 4.0 mm
Weight: 9.009 kg/m



ZJD-K3515

Thickness: 4.0 mm
Weight: .7.975 kg/m




ZJD-KU12386

Thickness: 4.0 mm
Weight: .8.056 kg/m




Medium Size







ZJD-KE357
Thickness: 4.0 mm
Weight: 9.063 kg/m




ZJD-K3582
Thickness: 4.5 mm
Weight: 10.914 kg/m




ZJD-K4844
Thickness: 4.5 mm
Weight: 10.595 kg/m




ZJD-K4885
Thickness: 4.5 mm
Weight: 10.588 kg/m




ZJD-KE759
Thickness: 4.0 mm
Weight: 9.538 kg/m




Medium Size







ZJD-K4189
Thickness: 5.0 mm
Weight: 14.255 kg/m




ZJD-K4479
Thickness: 4.8 mm
Weight: 12.83 kg/m



ZJD-K3583
Thickness: 5.0 mm
Weight: 14.84 kg/m




ZJD-KE761
Thickness: 4.5 mm
Weight: 15.1 kg/m




ZJD-K4332
Thickness: 6.0 mm
Weight: 19.514 kg/m




Large Size








ZJD-K4306
Thickness: 2.3 mm
Weight: 2.079 kg/m




ZJD-KU17724
Thickness: 4.0 mm
Weight: 3.528 kg/m




ZJD-K4188
Thickness: 2.75 mm
Weight: 2.484 kg/m



ZJD-KU15095
Thickness: 2.0 mm
Weight: 2.534 kg/m




ZJD-KU17396
Thickness: 2.5 mm
Weight: 2.507 kg/m




Special Profile






ZJD-KU17399

Thickness: 3.0 mm
Weight: 5.717 kg/m
Fit: ZJD-KU17397




ZJD-K4190

Thickness: 14.0 mm
Weight: 22.414 kg/m
Fit: ZJD-K4189




ZJD-K4886

Thickness: 5.5 mm
Weight: 7.865 kg/m
Fit: ZJD-K3463




ZJD-K3585

Thickness: 11 mm
Weight: 18.24 kg/m
Fit: ZJD-K3583



ZJD-K4920

Thickness: 7.0 mm
Weight: 12.46 kg/m
Fit: ZJD-K4844




ZJD-KE760


Thickness: 5.0 mm
Weight: 23.24 kg/m
Fit: ZJD-KE761



Accessory




Single Rail




ZJD-KS101

Weight: 1.217 kg/m
Suitable for:
10 mm~15 mm keder




ZJD-KS105B

Suitable for:
11 mm~13 mm keder




ZJD-KE2427

Thickness: 4.0 mm
Weight: 0.829 kg/m




ZJD-KS105S

Suitable for:
6.5 mm~8.5 mm keder




ZJD-KE2428

Thickness: 4.0 mm
Weight: 0.874 kg/m





ZJD-KS106

Suitable for:
7.5 mm~9.5 mm keder









ZJD-KS104A

Weight: 0.383 kg/m
Suitable for:
7.5 mm~9.5 mm keder




Double Rail




Double Rail

Double Rail




ZJD-KD201

Weight: 1.627 kg/m
Suitable for:
11 mm~14 mm keder




ZJD-KD202

Weight: 0.463 kg/m




ZJD-KD203

Suitable for:
8.5 mm~9.5 mm keder



ZJD-KD201A

Suitable for:
11 mm~14 mm keder




ZJD-KD204

Weight: 0.997 kg/m
Thickness: 2 mm




Double Rail

More Models




ZJD-KR108

Name: C Type Rail
Suitable for:
5 mm~7.5 mm keder



ZJD-TP101

Length: 3.3 m
Suitable for:
11 mm~13 mm keder




ZJD-KR230

Name: Bolt on Rail
Weight: 1.386 kg/m
Suitable for:
10 mm~13 mm keder



ZJD-TP102

Length: 3.3 m
Suitable for:
11 mm~13 mm keder




ZJD-KR109

Length: 3.3 m
Suitable for:
11 mm~13 mm keder



ZJD-TP103

Length: 6 m
Suitable for:
7.5 mm~10 mm keder



ZJD-KR110

Length: 4 m
Suitable for:
11 mm~13 mm keder



ZJD-TP104

Length: 6 m
Suitable for:
7.5 mm~10 mm keder

